

#### The Bosinver Logo

The bosinver logo is available in various colourways shown below.

Primary logo and colour



Example usage on brand colour background



703u

Logo with strapline



Primary colour palette

bosinver

bosinver

292

bosinver

bosinver

122

bosinver

bosinver

7536

bosinver



Black

Secondary colour palette

bosinver

posinver

7486

bosinver

bosinver

5773

bosinver

bosinver

430

bosinver

bosinver

5425

bosinver

bosinver

629

bosinver

bosinver

4645

bosinver

bosinver

7501

#### Colour Palette

Where possible please match colours using a printed Pantone library of colours. Colour consistency will vary slightly from screen to print, and from digital to litho print processing.



PMS	C	M	Y	K
703	0	83	54	16
292	49	11	0	0
122	0	17	80	0
7536	0	4	22	32
7486	20	0	20	0
5773	9	0	43	38
430	5	0	0	45
5425	30	4	0	31
629	34	0	9	0
4645	0	37	68	28
7501	0	4	20	6
Black	0	0	0	100

R	G	В	
206	71	83	
121	189	232	
255	210	79	
185	176	152	
206	230	193	
158	163	116	
148	156	161	
128	161	182	
163	220	230	
190	133	76	
241	227	197	
0	0	0	

### File Types

The logo supplied in the following formats:

JPEG (Joint Photographic Experts Group)
Type: Pixel based image

Use when: For web and print

**PNG** (Portable Network Graphics) Type: Pixel based image Use when: For web only

**EPS** (Encapsulated post-script)
Type: Vector based image
Use when: For best quality in print



A pixel based image



A vector based image

#### Minimum Size

When used at small scales the text should always remain legible.



#### Isolation Area

The logo should always be surrounded by a minimum area of space. Maximise the space around the logo where possible.



#### **Brand Illustrations**

To be used alongside text and photography.



### Example Imagery

Example imagery and illustration in use. Photography can be shot or processed in lomo style. Illustrations can be used to compliment photography They can be used stand-alone or layed-over an area of 'dead space' in the photograph









### Incorrect Usage

Although creativity is appreciated please ensure the logo is legible at all times andplease do not alter the logo in anyway!



### bosinver

Correct use

### bosinver

Do not angle the lettering of the logo

# bosinver

Do not angle the logo

## bosinver

Do not use colours that make the text hard to read

# bosinver

Do not apply effects to the logo

### posinver

Do not stretch or squash the text out of proportion

# DOSINVER BY THE SEASIDE

Do not use add a different tag line or use a different font for any part of the logo

### bosinver

Do not make the logo difficult to read

### BOSINVER

Do not use a different font for any part of the logo

## bosinver

Do not make the logo difficult to read

#### Brand Typefaces

Whenever you need to typeset information please ensure that the typefaces below are used. These can be set in various weights and sizes depending on the information you wish to display.

### AABBCDDEFGHIJKLMN OOPPQQRRSTUVWXYZ

abbcddeefgghijkklmn oppqqrstuvwxy

12345667889900

; (a) = ( ) ? "! -

Bosinver (Please only use a maximum of two solid letters per word.)



ABCDEFGHIJKLMNOPQRSTUV abcdefghijklmnopqrstuvwxyz 0123456789!?&£/@;:,.()

American Typewriter Medium

ABCDEFGHIJKLMNOPQRSTUV abcdefghijklmnopqrstuvwxyz 0123456789!?&£/@;:,.()

Helvetica Neue



If you need any further information, please don't hesitate to get into touch:

### bosinver

Bosinver Farm Cottages Trelowth St Austell Cornwall PL26 7DT

Tel: 01726 72128

Email: reception@bosinver.co.uk Web: www.bosinver.co.uk



Tel: 01726 75551

Email: info@leap.uk.net Web: www.leap.uk.net